

Notice of Allowability	Application No.	Applicant(s)
	09/960,398	KURASAWA ET AL.
	Examiner	Art Unit
	Thao X. Le	2814
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 06/08/05.		·
2. The allowed claim(s) is/are 1, 2, 5, 6, 9, 10, 13, 30 and 31.		
3. 🔀 The drawings filed on 10 June 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application N	0
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a re ENT of this application.	eply complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 	tted. Note the attached EXAMIN es reason(s) why the oath or dec	NER'S AMENDMENT or NOTICE OF claration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in t	he Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the di ne header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
	•	
Attachment(s)	5 - 1 N 6 - 4 4	ND 4 4 4 1' (" (DTO 450)
 Notice of References Cited (PTO-892) D'Notice of Draftperson's Patent Drawing Review (PTO-948) 		nal Patent Application (PTO-152)
2. Motice of Draitperson's Patent Drawing Review (P10-948)	6. ☐ Interview Sumn Paper No./Mail	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛛 Examiner's Am	endment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		ement of Reasons for Allowance
of Biological Material	9. Other	
		·

Application/Control Number: 09/960,398 Page 2

Art Unit: 2814

EXAMINER'S AMENDMENT

1. The Applicant's statement of same assignment filed on 08 June 2005 is sufficient to overcome the Nakamura (6573553) reference.

- 2. This application is in condition for allowance except for the presence of claims 15 to 28 non-elected without traverse. Accordingly, claims 15-28 have been cancelled.
- 3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the claim:

- Cancel claims 15-18
- 4. The following is an examiner's statement of reasons for allowance:
 - a. Claims 1-2, 5-6, 9-10, 13, and 30-31 are allowed because the prior art of record neither anticipated nor rendered obvious all the limitations of the base claims 1 and 13 including the buffer structure of an insulating material and having a height larger than a width.
 - b. Claim 14 is allowed because the prior art of record neither anticipated nor rendered obvious all the limitations of the base claim 14 including a lower electrode formed on the barrier metal layer and having a width larger than that of

Application/Control Number: 09/960,398

Art Unit: 2814

the barrier metal layer; and wherein the lower electrode having a height larger than a width thereof and being not in contact with the insulation film.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao X. Le whose telephone number is (571) 272-1708. The examiner can normally be reached on M-F from 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael M. Fahmy can be reached on (571) 272 -1705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2814

Thao X. Le 16 June 2005

> LONG PHAM JARY EXAMINER